





### POSSIBLE SOLUTIONS



30/06/2006

### TEC. SPECIFICATIONS

|                     |                 |                    |      |
|---------------------|-----------------|--------------------|------|
|                     | <b>Outlet 1</b> |                    |      |
| <b>Torque (NM)</b>  | 600             | <b>Replaces</b>    | 2308 |
| <b>Int. Ratio</b>   | 1,00            | <b>Replaced by</b> |      |
| <b>Teeth number</b> | 12              |                    |      |

### CONTROL TYPE HYDROCAR

Electric      Hydraulic      Mechanic      Fixed engagement       Pneumatic      Vacuum system

### CONTROL VERSIONS (XX)

| Type | 82z1 | Description                |
|------|------|----------------------------|
| P    | 1    | #Cmd. M12x1.5 con raccordo |
| P    | 2    | #Cmd. M12x1.5 senza racc.  |

### AVAILABLE OPTIONS (Y)

| 82z1 | Description               | Lubr. Kit | Switch Kit  | Reinforced                          |
|------|---------------------------|-----------|-------------|-------------------------------------|
| 0    | #Non presente             |           |             | <input checked="" type="checkbox"/> |
| 4    | #Con kit interrut. Kostal |           | 194KSP41000 | <input checked="" type="checkbox"/> |
| 5    | #Con kit interrut. Merit  |           | 194KSP19000 | <input checked="" type="checkbox"/> |
| 6    | #Con kit interrut. T.D.S. |           | 194KSP40000 | <input checked="" type="checkbox"/> |

### OUTLET VERSIONS (ZZZ)

| 82z1 | Description           |
|------|-----------------------|
| 204  | Pump drive SE 4-Bolts |



**Hydrocar**  
Hydraulic Energy

# 81Z2

#PTO POS. H. D. Z.F. 6.36

### Conversion kit

Pneumatic/Mechanic  
Mechanic/Pneumatic  
Electric control

#UNI da DIN 5462 (SE)

606X02Z0000

### Flange kit

82z1

Description

|             |                    |
|-------------|--------------------|
| 606X03F0500 | DIN 00 x PTO 0081  |
| 606X03F0600 | DIN 10 x PTO 0081  |
| 606X03F0700 | SP 1120 x PTO 0081 |
| 606X03F0800 | SP 1300 x PTO 0081 |
| 606X03F0900 | KIOKUTO "B"x 0081  |
| 606X03F1000 | SP 1400 x PTO 0081 |

### Switch kit

82z1

Description

|             |                     |
|-------------|---------------------|
| 194KSP19000 | #Merit M16x1.5 N.C. |
| 194KSP40000 | #TDS M 16x1.5 N.C.  |
| 194KSP41000 | #EATON N.C.         |



**Hydrocar**  
Hydraulic Energy

# 81Z2

#PTO POS. H. D. Z.F. 6.36

## MATCHINGS

| Brand        | Range   | Model           | 1st Gear ratio | Outlet | Application |
|--------------|---------|-----------------|----------------|--------|-------------|
| EATON-FULLER |         | ES 11109        | 12,64          | Rear   | E5          |
| EATON-FULLER |         | FS 6406 A-EU    | 9,01           | Rear   | E3          |
| IVECO        |         | 2895.9 (NEW)    | 13,56          | Rear   | I2          |
| IVECO        |         | 2895.9 (OLD)    | 13,56          | Rear   | I1          |
| IVECO        |         | DA 11/02/98     | 0,00           | Rear   | I2          |
| IVECO        |         | FINO 11/02/98   | 0,00           | Rear   | I1          |
| Z.F.         |         | 5-35            | 5,64           | Rear   | Z2          |
| Z.F.         |         | 5-35            | 6,45           | Rear   | Z2          |
| Z.F.         |         | 5-35            | 6,75           | Rear   | Z2          |
| Z.F.         |         | 5-35            | 6,79           | Rear   | Z2          |
| Z.F.         |         | 5-35            | 7,65           | Rear   | Z2          |
| Z.F.         |         | 5-35            | 8,02           | Rear   | Z2          |
| Z.F.         |         | 5-680           | 7,43           | Rear   | Z2          |
| Z.F.         |         | 6 AS 700 TO     | 6,02           | Rear   | Z0          |
| Z.F.         |         | 6 S 850 DT 1.00 | 8,51           | Rear   | Z5          |
| Z.F.         |         | 6 S 850 OD 0.79 | 6,72           | Rear   | Z5          |
| Z.F.         |         | 6-36            | 6,06           | Rear   | Z5          |
| Z.F.         |         | 6-36            | 7,43           | Rear   | Z5          |
| Z.F.         |         | 6-36            | 8,97           | Rear   | Z5          |
| Z.F.         |         | 6-36 / 0,80     | 6,93           | Rear   | Z5          |
| Z.F.         |         | 6-36+GV36/6.32  | 7,43           | Rear   | Z5          |
| Z.F.         |         | 6-36+GV36/7.43  | 8,97           | Rear   | Z5          |
| Z.F.         | ECOLITE | 6 S 700 TO      | 6,02           | Rear   | Z0          |

