





POSSIBLE SOLUTIONS



15/02/2011

TEC. SPECIFICATIONS

	Outlet 1	
Torque (NM)	350	Replaces
Int. Ratio	1,80	Replaced by
Teeth number	12	

CONTROL TYPE HYDROCAR

Electric Hydraulic Mechanic Fixed engagement Pneumatic Vacuum system

CONTROL VERSIONS (XX)

Type	82z1	Description
P	1	#Cmd. M12x1.5 con raccordo
P	2	#Cmd. M12x1.5 senza racc.

AVAILABLE OPTIONS (Y)

82z1	Description	Lubr. Kit	Switch Kit	Reinforced
0	#Non presente			<input checked="" type="checkbox"/>
2	#Con Kit di Lubrificazione	195KL12P191		<input checked="" type="checkbox"/>
5	#Con kit interrut. Merit		194KSP26000	<input checked="" type="checkbox"/>
6	#Con kit interrut. T.D.S.		194KSP35000	<input checked="" type="checkbox"/>
7	#Con kit int. Merit+ KLB12	195KL12P191	194KSP26000	<input checked="" type="checkbox"/>

OUTLET VERSIONS (ZZZ)

82z1	Description
294	4 HOLES PUMP SE/R REAR
740	FL DIN00 REAR SIDE
741	FL SPICER 1120 REAR SIDE
742	FL DIN10 REAR SIDE
743	FL SPICER 1300 REAR SIDE



Conversion kit

Pneumatic/Mechanic
Mechanic/Pneumatic
Electric control

UNI from DIN 5462 SE/R

606X03RZ000

Flange kit

82z1

Description

197KFL79000

DIN 00 SE/R

197KFL80000

DIN 10 SE/R

197KFL81000

SPICER 1120 SE/R

197KFL82000

SPICER 1300 SE/R

Lubrication kit

82z1

Description

195KL12F291

SPICER 1120 HV- HVR

195KL12F391

SPICER 1120 (2325)

195KL12F491

SPICER 1120 (2400)

195KL12F591

DIN 10 DOWEL 800 Nm

195KL12P191

DIN 00 SE/R

195KLB35000

#Serie 86 su IVECO

Switch kit

82z1

Description

194KSP26000

#Merit M16x1.5 N.C.

194KSP35000

#TDS M16x1.5 N.C.



MATCHINGS

Brand	Range	Model	1st Gear ratio	Outlet	Application
EATON-FULLER		4106 DT A	9,03	Rear	EA
EATON-FULLER		4106 DT B	7,54	Rear	EA
EATON-FULLER		4106 OD	6,08	Rear	EA
EATON-FULLER		6109 DT A	8,98	Rear	EB
EATON-FULLER		6109 OD A	6,73	Rear	EB
EATON-FULLER		FS 4106 A	9,03	Rear	EA
EATON-FULLER		FS 4106 B	7,54	Rear	EA
EATON-FULLER		FS 5206 A	9,03	Rear	EA
EATON-FULLER		FS 5206 B	7,54	Rear	EA
EATON-FULLER		FSO 10309 A	0,00	Rear	EG
EATON-FULLER		FSO 5206 B	6,08	Rear	EA
EATON-FULLER		FSO 6109 A	6,73	Rear	EB
EATON-FULLER		FSO 8209 A	6,73	Rear	EB
EATON-FULLER	S-SERIES	RTS 12316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTS 12316 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTS 14316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTS 14316 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTS 15316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTS 15316 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTS 17316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTS 17316 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTSO 12308 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 12316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 12316 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTSO 14308 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 14312 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 14312 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTSO 14316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 14316 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTSO 15316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 15316 A +V	0,00	Rear	ED
EATON-FULLER	S-SERIES	RTSO 17308 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 17316 A	0,00	Rear	EC
EATON-FULLER	S-SERIES	RTSO 17316 A +V	0,00	Rear	ED
IVECO		2895.9 (NEW)	13,56	Rear	I1
IVECO		DA 11/02/98	0,00	Rear	I1
Z.F.		5-35	5,64	Rear	Z4
Z.F.		5-35	6,45	Rear	Z4
Z.F.		5-35	6,75	Rear	Z4
Z.F.		5-35	6,79	Rear	Z4
Z.F.		5-35	7,65	Rear	Z4
Z.F.		5-35	8,02	Rear	Z4
Z.F.		5-680	7,43	Rear	Z4
Z.F.		6 AS 700 TO	6,02	Rear	Z5



Hydrocar
Hydraulic Energy

86Z5

#PTO POS. M. D. Z.F 5.35 - 6.36

MATCHINGS

Brand	Range	Model	1st Gear ratio	Outlet	Application
Z.F.		6 S 850 DT 1.00	8,51	Rear	ZQ
Z.F.		6 S 850 OD 0.79	6,72	Rear	ZQ
Z.F.		6-36	6,06	Rear	Z5
Z.F.		6-36	7,43	Rear	Z5
Z.F.		6-36	8,97	Rear	Z5
Z.F.		6-36 / 0,80	6,93	Rear	Z5
Z.F.		6-36+GV36/6.32	7,43	Rear	Z5
Z.F.		6-36+GV36/7.43	8,97	Rear	Z5
Z.F.	ECOLITE	6 S 700 TO	6,02	Rear	Z5

