

MODEL AEV Through port 1 with gauge port **CAVITY: T-162A** 



sunhydraulics.com/model/AEV





### **TECHNICAL DATA**

Body Type	Line mount
Interface	None
Body Features	Through port 1 with gauge port
Mounting Hole Thread	M6x1.0 - 6H
Mounting Hole Depth	.50 in.
Mounting Hole Quantity	2

## **NOTES**

Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

#### **PORT DESIGNATORS**

Modifiers	Ports
AEV, /10, /11, /S, /S3	Ports 1 & 2: 1/2" BSPP; Gage Port: 1/4" BSPP;

# **CONFIGURATION OPTIONS Model Code Example: AEV**

## MODIFIER

NODII ILIX			
6061-T651 Aluminum, Buna-N			
/11 6061-T651 Aluminum Buna-N Clear Anodize - Per MII			

SPEC 8625F Type II, Class I

/10 6061-T651 Aluminum, Buna-N, Black Anodize - Per MIL
SPEC 8625F Type II, Class II

/S 65-45-12 Ductile Iron, Buna-N, Chem. Black

/S3 65-45-12 Ductile Iron, Buna-N, Trivalent Clear Zinc with Top Sealer

© 2019 Sun Hydraulics